

Menzi Muck A25



menzi
muck

The Mini Allterrain Excavator Menzi Muck A25 with 2300 kg.

Engine

Kubota Diesel engine 1305 B Stage V
3-cylinder, water cooled
Displacement: 1'305 ccm
Output max:
25 PS (18.5 kW) bei 2'600 min-1
Diesel fuel tank: 18l

Hydraulic system

3-circuit-system
Working pressure: 230 bar
Total capacity: max. 57 l/min
Hydr. tank: 35 l

Swing

Hydro engine with planetary gear
Multi-disc brake with brake pressure valve
Slewing speed: 9 U/min

Electrical equipment

12 volts
Alternator 1.0 kW
Battery 60 Ah

Traction

Hydrostatic wheel hub drive
Speed up to 2.6 km/h
Multi-disc brake
Mechanical uncoupling of traction

Forces


Ripping force 13 kN
Breakout force 20 kN

Standard equipment

Protective roof ROPS-tested
Euro-Control
Hydr. telescope dipper 600 mm
Hydr. telescopic support leg 400 mm
Hydr. chassis adjustment with mit check valves
two additional double-acting hydraulic connections on the boom
Working lights on the boom
Swivelable boom sideways 90°/50°
Heavy lifting equipment
Check valves on the boom- and dippercy-linder
Tyres front 600-9
Tyres reaxel 10,0/75-15.3

Measurements and dimensions

Weight	2'300 kg
Excavation height	5'230 mm
Excavation depth	3'100 mm
Discharge height	3'000 mm
Jib Range	4'680 mm
Smallest swivelling radius	1'790 mm
Transport width	3'200 mm
Transport length	1'350 mm
Transport height	2'290 mm



Options/ Accessories

Options


- Radio with USB port
- Joystick with three 4-way buttons
- Lighting front
- Lighting rear
- Winch preparation on the chassis
- Winch preparation on the boom
- Winch Chassis 1000 kg
- Winch Boom 500 kg
- Remote control winch
- Panolin Bio hydraulic oil
- Priority circuit for attachments
- Quick coupler circuit
- Auxiliary circuit for attachments
- Tiltrotator
- Rubber pads
- Special paintwork



Accessories

Menzi Muck AG also focuses on quality when it comes to accessories. All buckets, quick couplers and universal grabs are designed and manufactured in-house. We supply the following accessories for the mini all-purpose mobile excavator:

- Digging bucket 300 mm
- Digging bucket 400 mm
- Digging bucket 500 mm
- Digging bucket 600 mm
- Grading bucket 1000mm
- Grading bucket hydraulic 1000mm
- Swivel headPowertilt (BG 06)
- Mech. Quick coupler MSWM010
- Hydr. Quick coupler MSWH010
- Hydraulic-Hammer
- Universal grab UG-04



menzi
muck

How to find us.

Menzi Muck AG
Feffetstrasse 14
9464 Rüthi
Switzerland
info@menzimuck.com
+41 (0)71 727 12 12



Subject to technical changes / 0525

Follow us!



www.menzimuck.com



[menzimuckcom](https://www.instagram.com/menzimuckcom)



[menzimuckcom](https://www.facebook.com/menzimuckcom)



[Menzi Muck AG](https://www.linkedin.com/company/menzi-muck-ag)



[menzimuckcom](https://www.youtube.com/menzimuckcom)

menzi
muck®